

## FFY2016 TITLE V MCH SERVICES BLOCK GRANT NEEDS ASSESSMENT (MCH 2020)

**STATE PRIORITIES: 2016-2020** (state performance measures to be developed)

<p><b>Priority 1: Women have access to and receive coordinated, comprehensive care and services <u>before, during and after pregnancy.</u></b></p> <p><i>Domain(s):</i> Women/Maternal; Cross-cutting</p> <p><i>National Performance Measures:</i></p> <ul style="list-style-type: none"> <li>• NPM1: Well-woman visit (Percent of women with a past year preventive medical visit)</li> <li>• NPM14: Smoking during Pregnancy and Household Smoking (A. Percent of women who smoke during pregnancy)</li> </ul>
<p><b>Priority 2: Services and supports promote healthy <u>family functioning.</u></b></p> <p><i>Domain(s):</i> Cross-cutting</p> <p><i>National Performance Measure(s):</i></p> <ul style="list-style-type: none"> <li>• NPM14: Smoking during Pregnancy and Household Smoking (B. Percent of children who live in households where someone smokes)</li> </ul>
<p><b>Priority 3: <u>Developmentally appropriate care and services</u> are provided across the lifespan.</b></p> <p><i>Domain(s):</i> Children</p> <p><i>National Performance Measure(s):</i></p> <ul style="list-style-type: none"> <li>• NPM6: Developmental screening (Percent of children, ages 10 through 71 months, receiving a developmental screening using a parent-completed screening tool)</li> <li>• NPM7: Child Injury (Rate of hospitalization for non-fatal injury per 100,000 children ages 0 through 9 and adolescents ages 10 through 19)</li> </ul>
<p><b>Priority 4: Families are empowered to make educated choices about <u>nutrition and physical activity.</u></b></p> <p><i>Domain(s):</i> Perinatal/Infant</p> <p><i>National Performance Measure(s):</i></p> <ul style="list-style-type: none"> <li>• NPM4: Breastfeeding (A. Percent of infants who are ever breastfed and B. Percent of infants breastfed exclusively through 6 months)</li> </ul>
<p><b>Priority 5: Communities and providers support <u>physical, social, and emotional health.</u></b></p> <p><i>Domain(s):</i> Adolescents</p> <p><i>National Performance Measure(s):</i></p> <ul style="list-style-type: none"> <li>• NPM9: Bullying (Percent of adolescents, 12 through 17, who are bullied or who bully others)</li> <li>• NPM10: Adolescent well-visit (Percent of adolescents, ages 12 through 17, with a preventive medical visit in the past year)</li> </ul>
<p><b>Priority 6: <u>Professionals have the knowledge and skills</u> to address the needs of maternal and child health populations.</b></p> <p><i>Domain(s):</i> Cross-cutting</p> <p><i>National Performance Measures(s):</i> None. State Performance Measure to be developed.</p>
<p><b>Priority 7: <u>Services are comprehensive and coordinated</u> across systems and providers.</b></p> <p><i>Domain(s):</i> Children &amp; Youth with Special Health Care Needs</p> <p><i>National Performance Measures(s):</i></p> <ul style="list-style-type: none"> <li>• NPM11: Medical home (Percent of children with and without special health care needs having a medical home)</li> </ul>
<p><b>Priority 8: Information is available to support <u>informed health decisions and choices.</u></b></p> <p><i>Domain(s):</i> Cross-cutting</p> <p><i>National Performance Measures(s):</i> None. State Performance Measure to be developed.</p>

**NATIONAL PERFORMANCE MEASURES** (states select 8 of 15 that address priorities)

NPM	National Performance Measure (NPM)	National Outcome Measures Associated with National Performance Measure
1	Well-woman visit (Percent of women with a past year preventive medical visit)	Severe maternal morbidity per 10,000 delivery hospitalizations Maternal mortality rate per 100,000 live births Low birth weight rate (%) Very low birth weight rate (%) Moderately low birth weight rate (%) Preterm birth rate (%) Early preterm birth rate (%) Late preterm birth rate (%) Early term birth rate (%) Infant mortality per 1,000 live births Perinatal mortality per 1,000 live births plus fetal deaths Neonatal mortality per 1,000 live births Postneonatal mortality rate per 1,000 live births Preterm-related mortality per 100,000 live births
4	Breastfeeding (A. Percent of infants who are ever breastfed and B. Percent of infants breastfed exclusively through 6 months)	Infant mortality rate per 1,000 live births Postneonatal mortality rate per 1,000 live births Sleep-related SUID per 100,000 live births
6	Developmental screening (Percent of children, ages 10 through 71 months, receiving a developmental screening using a parent-completed screening tool)	Percent of children in excellent or very good health Percent of children meeting the criteria developed for school readiness
7	Child Injury (Rate of hospitalization for non-fatal injury per 100,000 children ages 0 through 9 and adolescents ages 10 through 19)	Child mortality ages 1 through 9 per 100,000 Adolescent mortality ages 10 through 19 per 100,000 Adolescent motor vehicle mortality ages 15 through 19 per 100,000 Adolescent suicide ages 15 through 19 per 100,000
9	Bullying (Percent of adolescents, 12 through 17, who are bullied or who bully others)	Adolescent mortality ages 10 through 19 per 100,000 Adolescent suicide ages 15 through 19 per 100,000
10	Adolescent well-visit (Percent of adolescents, ages 12 through 17, with a preventive medical visit in the past year)	Percent of children in excellent or very good health Percent of children ages 6 months through 17 years who are vaccinated annually against seasonal influenza Percent of adolescents, ages 13 through 17, who have received at least one dose of the HPV vaccine Percent of adolescents, ages 13 through 17, who have received at least one dose of the Tdap vaccine Percent of adolescents, ages 13 through 17, who have received at least one dose of the meningococcal conjugate vaccine Adolescent mortality ages 10 through 19 per 100,000 Adolescent motor vehicle mortality ages 15 through 19 per 100,000

		<p>Adolescent suicide ages 15 through 19 per 100,000</p> <p>Percent of children with mental/behavioral health condition who receive treatment or counseling</p> <p>Percent of adolescents who are overweight or obese (BMI at or above the 85th percentile)</p> <p>Severe maternal morbidity per 10,000 delivery hospitalizations</p> <p>Maternal mortality rate per 100,000 live births</p> <p>Low birth weight rate (%)</p> <p>Very low birth weight rate (%)</p> <p>Moderately low birth weight rate (%)</p> <p>Preterm birth rate (%)</p> <p>Early preterm birth rate (%)</p> <p>Late preterm birth rate (%)</p> <p>Early term birth rate (%)</p> <p>Infant mortality per 1,000 live births</p> <p>Perinatal mortality per 1,000 live births plus fetal deaths</p> <p>Neonatal mortality per 1,000 live births</p> <p>Postneonatal mortality rate per 1,000 live births</p> <p>Preterm-related mortality per 100,000 live births</p>
11	Medical home (Percent of children with and without special health care needs having a medical home)	<p>Percent of children with special health care needs (CSHCN) receiving care in a well-functioning system</p> <p>Percent of children in excellent or very good health</p> <p>Percent of children ages 19 through 35 months, who have received the 4:3:1:3(4):3:1 :4 combined series of routine vaccinations</p> <p>Percent of children, ages 6 months through 17 years, who are vaccinated annually against seasonal influenza</p> <p>Percent of adolescents, ages 13 through 17, who have received at least one dose of the HPV vaccine</p> <p>Percent of adolescents, ages 13 through 17, who have received at least one dose of the Tdap vaccine</p> <p>Percent of adolescents, ages 13 through 17, who have received at least one dose of the meningococcal conjugate vaccine</p>
14	Smoking during Pregnancy and Household Smoking (A. Percent of women who smoke during pregnancy and B. Percent of children who live in households where someone smokes)	<p>Severe maternal morbidity per 10,000 delivery hospitalizations</p> <p>Maternal mortality rate per 100,000 live births</p> <p>Low birth weight rate (%)</p> <p>Very low birth weight rate (%)</p> <p>Moderately low birth weight rate (%)</p> <p>Preterm birth rate (%), Early preterm birth rate (%), Late preterm birth rate (%), Early term birth rate (%)</p> <p>Infant mortality per 1,000 live births</p> <p>Perinatal mortality per 1,000 live births plus fetal deaths</p> <p>Neonatal mortality per 1,000 live births</p> <p>Preterm-related mortality per 100,000 live births</p> <p>Post neonatal mortality per 1,000 live births</p> <p>Sleep-related SUID per 100,000 live births</p> <p>Percent of children in excellent or very good health</p>